

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L7	15419	((mov\$5 near3 (averag\$5 or mean)) or mov\$5-averag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 15:12
L8	15	7 and ((i adj2 th adj2 pixel) or (ith adj2 pixel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 15:17
L9	4	7 and ((formula or equation) near5 (calculat\$5 or determin\$5) near5 (number adj3 pixel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 15:20
L10	1	((formula or equation) near5 (calculat\$5 or determin\$5) near5 (number adj3 pixel)) with (mov\$5 near4 averag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 15:21
L11	7	((calculat\$5 or determin\$5) near5 (number adj3 pixel)) with (mov\$5 near4 averag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 15:23
L12	363	((calculat\$5 or determin\$5) near5 (number adj3 pixel)) with (averag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 15:23
L13	16	12 and (mov\$5 near3 averag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 15:29
L14	1	"6366358".pn. and (difference with pixel with (subject or reference or target or attention))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 15:34
L15	14	(calculat\$5 with (mov\$5 near3 average) with number with pixel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 15:42
L16	9	(calculat\$5 adj1 number adj1 pixel) and ((mov\$5 near3 (averag\$5 or mean)) or mov\$5-averag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 15:47
L17	0	((calculat\$5 near5 ((mov\$5 near3 (averag\$5 or mean)) or mov\$5-averag\$5)) adj1 number adj1 pixel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 15:49

L18	1	"6034794".pn. and (bit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 15:51
L19	3	7 and (out near3 range near3 pixel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 15:55
L20	33	7 and (exclud\$5 near3 pixel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 15:57
L21	4	7 and (exclud\$5 near3 pixel with range)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 16:05
L22	32	7 and ((detect\$5 or determin\$5) near6 pixel near3 range)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 16:10
S46	9906	(moving near3 (averag\$5 or mean))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:28
S47	1151	S46 and pixel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:06
S48	86	S47 and (calculat\$5 near4 pixel near6 averag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:11
S49	26	S47 and ((formula or equation) with (number or quantit\$5) near3 pixel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:12
S50	9924	(moving near3 (averag\$5 or mean)) or moving-averag\$5 or moving-mean	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:36
S51	13	S46 and (variable near5 (number or quantit\$5) near7 pixel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:17

S52	90	S46 and (variable near5 window\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:18
S53	2	S52 and ("358".clas. or "382".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:17
S54	1	S46 and (variable near5 window\$5 with pixel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:21
S55	7	S46 and (variable near5 window\$5 with calculat\$5 with averag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:24
S56	51	S46 and (calculat\$5 near6 window near3 size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:25
S57	12	S56 and pixel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:26
S58	92	(moving near3 (averag\$5 or mean) near3 variable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:31
S59	4	S58 and pixel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:32
S60	263	(moving near3 (averag\$5 or mean) with variable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:33
S61	9	S60 and pixel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:32
S62	10890	imag\$5 near6 (noise-reduc\$5 or (noise near3 (reduc\$5 or limit\$5 or eliminat\$5 or filter\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:35

S63	606	S62 and (moving near3 (averag\$5 or mean)) or moving-averag\$5 or moving-mean	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:50
S64	20	S63 and (variable near5 averag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:37
S65	140	S63 and (averag\$5 with pixel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:38
S66	4	S65 and (variable with averag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:40
S67	38	S62 and (pixel with averag\$5 with variabl\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:40
S68	772	((moving near3 (averag\$5 or mean)) or moving-averag\$5 or moving-mean) same (size or (window\$5 near3 size) or ((number near3 (pixel or sample)) near3 averag\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:59
S69	67	S68 and ("358".clas. or "382".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:53
S70	45	S69 and (averag\$5 near6 pixel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:54
S71	17	S70 and (pixel near3 difference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:54
S72	227	((moving near3 (averag\$5 or mean)) or moving-averag\$5 or moving-mean) with pixel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 11:00
S73	308	((mov\$5 near3 (averag\$5 or mean)) or moving-averag\$5 or moving-mean) with pixel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 11:02

S74	186	S73 and (noise)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 11:11
S76	17940	((mov\$5 near4 (averag\$5 or mean)) or mov\$5-averag\$5 or moving-mean)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 15:07
S77	174	S76 and ((calculat\$5 or determin\$5) near5 ((number adj3 pixel) or (number adj3 sample) or (number adj3 data)) near5 (averag\$5 or mean))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 11:48
S78	34	S77 and (imag\$5 near5 process\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 11:48
S79	24	S78 and pixel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 12:28
S83	0	(mov\$5 near3 averag\$5 near7 pixel).title.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 12:30
S84	42	(mov\$5 near3 averag\$5).title.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 12:32
S85	309	S76 and (length near6 mov\$5 near3 averag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 12:33
S86	7	S85 and ("358".clas. or "382".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 12:33
S87	0	((mov\$5 near4 (averag\$5 or mean)) or mov\$5-averag\$5 or moving-mean) near4 using near3 (number) near5 pixel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 12:53
S88	4	((mov\$5 near4 (averag\$5 or mean)) or mov\$5-averag\$5 or moving-mean) with (using or uses or use) with (number) near5 pixel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 13:16

S97	52	((mov\$5 near4 (averag\$5 or mean)) or mov\$5-averag\$5 or moving-mean) with (number) near5 pixel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 13:09
S98	2	S97 and ((number near3 pixel) near6 function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 13:09
S109	105	((mov\$5 near4 (averag\$5 or mean)) or mov\$5-averag\$5 or moving-mean) same ((number) near5 pixel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 13:30
S110	21	S109 and ((number near3 pixel) with difference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 13:24
S111	0	S76 and (n near4 ".delta.")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 13:31
S112	0	S76 and (n with ".delta.")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 13:44
S113	12	(mean adj2 pixel adj2 number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 13:49
S114	326	((pixel adj2 number) with (subject or reference or attention or target)) and (averag\$5 with pixel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 13:50
S115	75	S114 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 14:08

[◀ Back to Previous Page](#)**Results Key:****JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard

1 A novel lane support framework for vision-based vehicle guidance*Liatsis, P.; Goulermas, J.Y.; Katsande, P.;*

Industrial Technology, 2003 IEEE International Conference on , Volume: 2 , 10-12 Dec. 2003

Pages:936 - 941 Vol.2

IEEE CNF

2 Image time series analysis of Arctic sea ice*Piwowar, J.M.; Wessel, G.R.I.; LeDrew, E.F.;*

Geoscience and Remote Sensing Symposium, 1996. IGARSS '96. 'Remote Sensing for a Sustainable Future.', International , Volume: 1 , 27-31 May 1996

Pages:645 - 647 vol.1

IEEE CNF

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L9	9906	(moving near3 (averag\$5 or mean))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:28
L10	1151	9 and pixel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:06
L11	86	10 and (calculat\$5 near4 pixel near6 averag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:11
L12	26	10 and ((formula or equation) with (number or quantit\$5) near3 pixel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:12
L13	9924	(moving near3 (averag\$5 or mean)) or moving-averag\$5 or moving-mean	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:36
L14	13	9 and (variable near5 (number or quantit\$5) near7 pixel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:17
L15	90	9 and (variable near5 window\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:18
L16	2	15 and ("358".clas. or "382".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:17
L17	1	9 and (variable near5 window\$5 with pixel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:21
L18	7	9 and (variable near5 window\$5 with calculat\$5 with averag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:24
L19	51	9 and (calculat\$5 near6 window near3 size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:25

L20	12	19 and pixel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:26
L21	92	(moving near3 (averag\$5 or mean) near3 variable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:31
L22	4	21 and pixel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:32
L23	263	(moving near3 (averag\$5 or mean) with variable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:33
L24	9	23 and pixel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:32
L25	10890	imag\$5 near6 (noise-reduc\$5 or (noise near3 (reduc\$5 or limit\$5 or eliminat\$5 or filter\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:35
L26	606	25 and (moving near3 (averag\$5 or mean)) or moving-averag\$5 or moving-mean	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:50
L27	20	26 and (variable near5 averag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:37
L28	140	26 and (averag\$5 with pixel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:38
L29	4	28 and (variable with averag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:40
L30	38	25 and (pixel with averag\$5 with variabl\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:40

L31	772	((moving near3 (averag\$5 or mean)) or moving-averag\$5 or moving-mean) same (size or (window\$5 near3 size) or ((number near3 (pixel or sample)) near3 averag\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:59
L32	67	31 and ("358".clas. or "382".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:53
L33	45	32 and (averag\$5 near6 pixel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:54
L34	17	33 and (pixel near3 difference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:54
L35	227	((moving near3 (averag\$5 or mean)) or moving-averag\$5 or moving-mean) with pixel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 11:00
L36	308	((mov\$5 near3 (averag\$5 or mean)) or moving-averag\$5 or moving-mean) with pixel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 11:02
L37	186	36 and (noise)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 11:02

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	48	kubo-shinya.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 15:10
L3	2	2 and ((mov\$5 near3 (averag\$5 or mean)) or mov\$5-averag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 15:08
L4	1	3 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 15:11
L5	0	3 and "282".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 15:11
L6	0	3 and "382".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 15:11